

COMPLEX NUMBERS AND DIFFERENTIAL EQUATIONS

PROBLEM SET 2

Julia Yeomans

1. Explain carefully:

- (i) what is meant by the order of a differential equation,
- (ii) the difference between independent and dependent variables in a differential equation,
- (iii) the difference between an ordinary and a partial differential equation,
- (iv) when a differential equation is linear, and why this is important.
- (v) Are the following differential equations linear or non-linear?

(i) $\frac{d^2y}{dx^2} + k^2y = f(x)$

(ii) $\frac{d^3y}{dx^3} + 2y \left(\frac{dy}{dx} \right) = \sin x$

(iii) $\frac{dy}{dx} + y^2 = yx$

2. Solve the following differential equations using the method stated:

(a) separable

(i) $\frac{dy}{dx} = \frac{xe^y}{1+x^2}$, $y = 0$ at $x = 0$

(ii) $\frac{dx}{dt} = \frac{2tx^2+t}{t^2x-x}$

(b) “almost” separable

$$\frac{dy}{dx} = 2(2x + y)^2$$

(c) homogeneous

$$2 \frac{dy}{dx} = \frac{xy+y^2}{x^2}$$

(d) homogeneous but for constant

$$\frac{dy}{dx} = \frac{x+y-1}{x-y-2}$$

(e) integrating factor

(i) $\frac{dy}{dx} + \frac{y}{x} = 3$, $y = 0$ at $x = 0$

(ii) $\frac{dx}{dt} + x \cos t = \sin 2t$

(f) Bernoulli

$$\frac{dy}{dx} + y = xy^{\frac{2}{3}}$$

3. Solve the following 1st order differential equations

(i) $\frac{dy}{dx} = \frac{x-y \cos x}{\sin x}$

(ii) $(3x + x^2) \frac{dy}{dx} = 5y - 8$

(iii) $2 \frac{dy}{dx} = \frac{y}{x} + \frac{y^3}{x^3}$

(iv) $xy \frac{dy}{dx} - y^2 = (x + y)^2 e^{-y/x}$

(v) $x(x - 1) \frac{dy}{dx} + y = x(x - 1)^2$

(vi) $\frac{dx}{dt} = \cos(x + t), \quad x = \frac{\pi}{2} \text{ at } t = 0$

(vii) $\frac{dy}{dx} = \frac{x-y}{x-y+1}$

(viii) $\frac{dx}{dy} = \cos 2y - x \cot y, \quad x = \frac{1}{2} \text{ at } y = \frac{\pi}{2}$

4. The equation

$$\frac{dy}{dx} + ky = y^n \sin x,$$

where k and n are constants, is linear and homogeneous for $n = 1$. State a property of the solutions to this equation for $n = 1$ that is not true for $n \neq 1$.

Solve the equation for $n \neq 1$ by making the substitution $z = y^{1-n}$.

5. Solve the ordinary differential equation

$$\frac{dy}{dx} = \frac{(3x^2 + 2xy + y^2) \sin x - (6x + 2y) \cos x}{(2x + 2y) \cos x}.$$

(Hint: look for a function $f(x, y)$ whose differential df gives the o.d.e.)

Answers

2. (a) (i) $e^{-y} = 1 - \frac{1}{2} \ln(1 + x^2)$
(ii) $2x^2 + 1 = C(t^2 - 1)^2$
(b) $2x + y = \tan(2x + C)$
(c) $Cx^{\frac{1}{2}}y = y - x$
(d) $\ln(x - \frac{3}{2}) = \tan^{-1}\left(\frac{y+\frac{1}{2}}{x-\frac{3}{2}}\right) - \frac{1}{2} \ln\left(1 + \frac{(y+\frac{1}{2})^2}{(x-\frac{3}{2})^2}\right) + C$
(e) (i) $y = \frac{3x}{2}$
(ii) $x = 2(\sin t - 1) + Ce^{-\sin t}$
(f) $y^{\frac{1}{3}} = x - 3 + Ce^{-\frac{x}{3}}$
3. (i) $y = \frac{1}{\sin x}(x^2/2 + C)$
(ii) $\frac{1}{5} \ln(5y - 8) = \frac{1}{3} \ln(x/(x + 3)) + C$
(iii) $x = C(1 - x^2/y^2)$
(iv) $\ln x = \frac{e^{y/x}}{1+y/x} + C$
(v) $y = \frac{x}{x-1}(\frac{1}{2}x^2 - 2x + \ln x + C)$
(vi) $\tan \frac{1}{2}(x + t) = 1 + t$
(vii) $x - y + 1 = \sqrt{2(x + C)}$
(viii) $x = \frac{1}{3} \cot y(3 - 2 \cos^2 y) + \frac{1}{2 \sin y}$
4. $y^{1-n} = Ce^{-ax} + \frac{(1-n)}{(1+a^2)} \{a \sin x - \cos x\}; \quad a = k(1 - n)$
5. $(3x^2 + 2xy + y^2) \cos x = C$